AIR HOSE REELS & RECOIL HOSE

RETRACTABLE / FREE-STANDING / RECOIL



1

Draper Expert Retractable Air Hose Reel, 15m

- Rubber hose providing greater flexibility in cold conditions
- Ratchet locking system every 20cm
- Slow return function for user safety
- Mountable on wall, ceiling or vehicle
- Rollers to protect rubber hose

Hose size:	3/8" I/D (10mm)
Hose connection:	1/4" BSP
Max working pressure:	300psi
Operating temperature:	-5 to 45°C

Stock No.	Part No.
15050	RAH15



2

Air Hose Reel, 20m

- PE hose with brass connectors
- Sturdy free-standing frame

Connection:	1/4" BSP
Hose dimensions:	6mm (ID) x 3mm x 20m
Maximum pressure:	280psi (20bar)
Reel mounting:	Floor standing

Stock No.	Part No.
70838	AH20M



3

Retractable Air Hose Reels, 1/4", 120-150psi

- Smooth auto-retraction with integrated hose guide
- Free stop at any position (not including Stock No. 29662)
- 180° swivel mounting bracket
- Impact and UV resistant polypropylene case
- Hybrid hose is highly durable and resistant to chemicals

Stock No.	Part No.	Length	Dimensions
29662	RAH12B	12m	334 x 146 x 313mm
29669	RAH15B	15m	355 x 183 x 328mm
29675	RAH20B	20m	520 x 265 x 440mm
29676	RAH30B	30m	580 x 265 x 495mm




4

Recoil Air Hose


A kink resistant recoil type air hose which allows easier access in tight working areas. Perfect for the workshop and industrial user. The 10m hose contracts to a fraction of its working length when not in use, providing an excellent space saving and safer solution to a cluttered workspace. The hose is supplied with steel and silver spring protectors and solid brass 1/4" BSP male connectors with anti-kink coils.

Stock No.	Part No.
70828	RH10M



AIR HOSES & WHIP HOSES

HYBRID / HIGH VISIBILITY / STRAIGHT AIR LINE



1 Whip Hoses, 600mm

Manufactured to BS Specifications

Health and Safety Executive guidance regulations recommend a flexible isolating hose to be used between the air tool and coupling, thus isolating the tool's vibration. Supplied with PCL adaptor and appropriate male tailpiece. Display packed.

Stock No.	Part No.	Thread
54440	4313	1/2"
54438	4311	1/4"
54439	4312	3/8"



2 High Visibility Hybrid Air Hoses

These high-visibility hybrid air hoses are made from premium nitrile rubber and PVC to create a strong and flexible hose. Designed to provide performance, flexibility and durability at temperatures as low as -40°C. No memory effect to ensure the airline lays flat rather than coil back into shape. Fitted with 1/4" BSP female swivel unions for easy connection.

Stock No.	Part No.	Size	Colour
31733	HHVAH5M5/16	5m x 8mm	Blue
31727	HHVAH5M3/8	5m x 10mm	Blue
31734	HHVAH10M5/16	10m x 8mm	Green
31729	HHVAH10M3/8	10m x 10mm	Green
31735	HHVAH15M5/16	15m x 8mm	Red
31731	HHVAH15M3/8	15m x 10mm	Red
31736	HHVAH20M5/16	20m x 8mm	Yellow
31732	HHVAH20M3/8	20m x 10mm	Yellow



3 High Visibility Straight Line Air Hoses

PVC air line hoses for the workshop and industrial user, supplied with male fittings. High visibility to draw attention to the trip hazard. Display packed.

Stock No.	Part No.	Size	Length	Connection	Description
23189	4318HV	6mm	15.2m	1/4" BSP Male	1.6MPa (232psi)
23190	4319HV	8mm	15.2m	1/4" BSP Male	1.6MPa (232psi)
23192	4321HV	13mm	15.2m	1/2" BSP Male	1.0MPa (145psi)



4 Straight Line Air Hoses

PVC air line hoses for the workshop and industrial user, supplied with zinc plated fittings. Display packed.

Manufactured to BS EN ISO 5774 Specifications

Stock No.	Part No.	Bore	Length	Description
38282	AH10M6	6mm	10m	16bar/230psi
38285	AH15M6	6mm	15m	16bar/230psi
38298	AH20M6	6mm	20m	16bar/230psi
38306	AH5M8	8mm	5m	16bar/230psi
38331	AH10M8	8mm	10m	16bar/230psi
38332	AH15M8	8mm	15m	16bar/230psi
38334	AH20M8	8mm	20m	16bar/230psi
38335	AH5M10	10mm	5m	16bar/230psi
38336	AH10M10	10mm	10m	16bar/230psi
38337	AH15M10	10mm	15m	16bar/230psi
38338	AH20M10	10mm	20m	16bar/230psi
38339	AH5M13	13mm	5m	16bar/230psi
38344	AH15M13	13mm	15m	16bar/230psi



5 Draper Expert Straight Line Air Hoses

Nitrile rubber airline hoses designed for professional workshop use. The wipe clean oil resistant outer hose is perfect for workshop/garage forecourt applications where oil and grease are likely to be present. Its composite rubber manufacture delivers a better performance at lower temperatures (winter and external applications) than standard airlines. All these composite rubber airlines are supplied with zinc coated fittings. Display packed.

Manufactured to BS EN ISO 5774 Specifications

Stock No.	Part No.	Bore	Length	Description
38356	AHN15M6	6mm	15m	20bar/290psi
38361	AHN15M10	10mm	15m	20bar/290psi

STANDARD / VERTEX COUPLINGS

QUICK COUPLINGS / SAFEFLOW / AIRFLOW / BODY TAILPIECES



1
1/4" BSP Air Line Quick Couplings

Particularly suitable for compressor outlets and trailing hose applications, the safety design prevents accidental disconnection. Suitable for use with standard adaptors. Display packed.

Stock No.	Part No.	Thread
81300	EAC	Male
81299	EAC	Female




2
1/4" PCL BSP Air Line Coupling Set (3 Piece)

Couplers/adaptors that will allow the user maximum versatility and quick release facility. Display packed.

Contents:
1 x Screw adaptor male thread 1/4" BSP taper
1 x Coupling adaptor female thread 1/4" BSP parallel
1 x Screw adaptor female thread 1/4" BSP taper


Stock No.	Part No.
37844	ACK2 (3.8)



3
PCL Vertex Slim Air Line Couplings (Display Packed)

For use with standard adaptors. BSP taper. Double action mechanism prevents accidental disconnection and makes the coupling particularly suitable for trailing hose applications. Maximum airflow rate 1197L/min (42cfm) at 6.9bar (100psi). Maximum working pressure 13.8bar (200psi). Display packed.

Stock No.	Part No.	Thread	Type
51401	A91CF02 PACKED	1/4"	Female
51402	A91CM02 PACKED	1/4"	Male
51409	A91EM02 PACKED	3/8"	Male
51407	A91JF02 PACKED	1/2"	Female



4
PCL Vertex Slim Air Line Couplings (Sold Loose)

For use with standard adaptors. BSP taper. Double action mechanism prevents accidental disconnection and makes the coupling particularly suitable for trailing hose applications. Maximum airflow rate 1197L/min (42cfm) at 6.9bar (100psi). Maximum working pressure 13.8bar (200psi). Sold loose.


Stock No.	Part No.	Thread	Type
51384	A91CF02 BULK	1/4"	Female
51385	A91CM02 BULK	1/4"	Male
51408	A91EM02 BULK	3/8"	Male
51406	A91JF02 BULK	1/2"	Female



5
BSP Female Parallel' Safeflow' Air Line Coupling

Enhanced fitting with two stage self-venting release. Prevents hose-whip and creates safe compressed air environment. Female BSP parallel and male taper types available.

Stock No.	Part No.	Thread
41879	ASC21CF BULK	1/4"



6
PCL Vertex Slim Air Line Coupling Body Tailpieces (Display Packed)

For use with standard adaptors. Double action mechanism prevents accidental disconnection and makes the coupling particularly suitable for trailing hose applications. Maximum airflow rate 1197L/min (42cfm) at 6.9bar (100psi). Maximum working pressure 13.8bar (200psi). Display packed.

Stock No.	Part No.	Bore	For Hose
51414	A91R02 PACKED	1/4"	6.35mm
51418	A91T02 PACKED	3/8"	10.0mm
51416	A91S02 PACKED	5/16"	8.0mm



7
PCL Vertex Slim Air Line Coupling Body Tailpieces (Sold Loose)

For use with standard adaptors. Double action mechanism prevents accidental disconnection and makes the coupling particularly suitable for trailing hose applications. Maximum airflow rate 1197L/min (42cfm) at 6.9bar (100psi). Maximum working pressure 13.8bar (200psi). Sold loose.


Stock No.	Part No.	Bore	For Hose
51412	A91R02 BULK	1/4"	6.35mm
51417	A91T02 BULK	3/8"	10.0mm
51415	A91S02 BULK	5/16"	8.0mm



8
PCL "airflow" Couplings (Display Packed)

For use with standard adaptors. BSP parallel. Positive lock single action ideally suited for most compressed air applications. Maximum airflow rate 1197L/min (42cfm) at 6.9bar (100 psi). Maximum working pressure 13.8bar (200psi). Display packed.

Stock No.	Part No.	Thread	Type
37828	A21CF02 PACKED	1/4"	Female
37834	A21CM02 PACKED	1/4"	Male
37830	A21EF02 PACKED	3/8"	Female
37836	A21EM02 PACKED	3/8"	Male
37832	A21JF02 PACKED	1/2"	Female
37838	A21JM02 PACKED	1/2"	Male



9
PCL "airflow" Couplings (Sold Loose)

For use with standard adaptors. BSP parallel. Positive lock single action ideally suited for most compressed air applications. Maximum airflow rate 1197L/min (42cfm) at 6.9bar (100 psi). Maximum working pressure 13.8bar (200psi). Sold loose.

Stock No.	Part No.	Thread	Type
37827	A21CF02 BULK	1/4"	Female
37833	A21CM02 BULK	1/4"	Male
37829	A21EF02 BULK	3/8"	Female
37835	A21EM02 BULK	3/8"	Male
37831	A21JF02 BULK	1/2"	Female
37837	A21JM02 BULK	1/2"	Male

STANDARD / VERTEX & M100


SCREW ADAPTORS / HOSE TAILS / M100 COUPLINGS



1 PCL Coupling Body Tailpieces (Display Packed)

- For use with standard adaptors
- Positive lock single action ideally suited for most compressed air applications
- Maximum airflow rate 1197L/min (42cfm) at 69bar (100 psi)
- Maximum working pressure 138bar (200psi)

Stock No.	Part No.	Thread	For Hose
37840	A21RO2 PACKED	1/4"	1/4" ID
37842	A21TO2 PACKED	3/8"	3/8" ID



2 PCL Coupling Body Tailpieces (Sold Loose)

- For use with standard adaptors
- Positive lock single action ideally suited for most compressed air applications
- Maximum airflow rate 1197L/min (42cfm) at 69bar (100 psi)
- Maximum working pressure 138bar (200psi)

Stock No.	Part No.	Thread	For Hose
37839	A21RO2 BULK	1/4"	1/4" ID
37841	A21TO2 BULK	3/8"	3/8" ID



3 PCL Standard and Vertex Air Line Coupling Screw Adaptor (Display Packed)

Screw adaptor, female thread 1/4" parallel. Display packed five adaptors per card.

Order number of cards required (5 per card)


Stock No.	Part No.
55061	A2746 PACKED



4 PCL Standard and Vertex Air Line Coupling Screw Adaptor (Sold Loose)

Screw adaptor, female thread 1/4" parallel. Sold loose.

Stock No.	Part No.
55060	A2746 BULK



5 PCL Standard and Vertex Air Line Coupling Screw Adaptors (Sold Loose)

Screw adaptor, male thread BSP taper. Sold loose.

Stock No.	Part No.	Thread
25793	A6909 BULK	3/8"



6 PCL Standard and Vertex Air Line Coupling Adaptor Tailpieces (Display Packed)

- Integral adaptor/tailpieces

Order number of cards required (5 per card)

Stock No.	Part No.	Bore	For Hose
25834	A1793 PACKED	1/4"	6.35mm
25837	A2487 PACKED	5/16"	7.9mm
25839	A2488 PACKED	3/8"	9.5mm



7 PCL Standard and Vertex Air Line Coupling Adaptor Tailpieces (Sold Loose)

Integral adaptor/tailpieces. Sold loose.


Stock No.	Part No.	Bore	For Hose
25792	A1793 BULK	1/4"	6.35mm
25795	A2487 BULK	5/16"	7.9mm
25796	A2488 BULK	3/8"	9.5mm



8 PCL M100 Series Air Line Couplings (Display Packed)

Designed for machine applications with high airflow demands. BSP taper. Maximum airflow rate 3420L/min (120cfm) at 6.9bar (100psi). Maximum working pressure 20.7bar (300psi). Display packed.

Stock No.	Part No.	Thread	Type
25857	A5JM02 PACKED	1/2"	Male
25856	A5JF02 PACKED	1/2"	Female



9 PCL M100 Series Air Line Couplings (Sold Loose)

Designed for machine applications with high airflow demands. BSP taper. Maximum airflow rate 3420L/min (120cfm) at 6.9bar (100psi). Maximum working pressure 20.7bar (300psi). Sold loose.

Stock No.	Part No.	Thread	Type
25815	A5JM02 BULK	1/2"	Male
25814	A5JF02 BULK	1/2"	Female

M100 ADAPTORS & SCREW TAILPIECES

M100 SCREW & HOSE-TAIL ADAPTORS / BSP TAILPIECES



1

PCL M100 Series Air Line Coupling Screw Adaptor (Display Packed)

Screw adaptor, male thread BSP taper. Display packed two adaptors per card.

Order number of cards required (2 per card)

Stock No.	Part No.	Thread
25858	A3035 PACKED	1/2"



2

PCL M100 Series Air Line Coupling Screw Adaptor (Sold Loose)

Screw adaptor, male thread BSP taper. Sold loose.

Stock No.	Part No.	Thread
25816	A3035 BULK	1/2"
05517	A2999 BULK	3/8"



3

PCL M100 Series Air Line Coupling Adaptor Tailpieces (Display Packed)

Integral adaptor/tailpieces. Display packed two tailpieces per card.

Order number of cards required (2 per card)

Stock No.	Part No.	Bore	For Hose
25860	A3037 PACKED	3/8"	9.5mm



4

PCL M100 Series Air Line Coupling Adaptor Tailpieces (Sold Loose)

Integral adaptor/tailpieces. Sold loose.

Stock No.	Part No.	Bore	For Hose
25818	A3037 BULK	3/8"	9.5mm



5

PCL Male Screw Tailpieces (Display Packed)

1/4" thread size with BSP taper. Display packed five tailpieces per card.

Order number of cards required (5 per card)

Stock No.	Part No.	Bore	For Hose
25842	A1205 PACKED	3/16"	4.75mm
25843	A1217 PACKED	3/8"	9.5mm
25840	A5656 PACKED	1/4"	6.35mm
25841	A1206 PACKED	5/16"	7.9mm
25844	A2479 PACKED	1/2"	12.7mm



6

PCL Male Screw Tailpieces (Sold Loose)

- 1/4" thread size
- BSP taper

Stock No.	Part No.	Bore	For Hose
25800	A1205 BULK	3/16"	4.75mm
25798	A5656 BULK	1/4"	6.35mm
25799	A1206 BULK	5/16"	7.9mm
25801	A1217 BULK	3/8"	9.5mm
25802	A2479 BULK	1/2"	12.7mm



7

PCL Male Screw Tailpieces (Display Packed)

3/8" thread size with BSP taper. Display packed three tailpieces per card.

Order number of cards required (3 per card)

Stock No.	Part No.	Bore	For Hose
28051	A6905 PACKED	5/16"	7.9mm
25861	A2951 PACKED	3/8"	9.5mm
25863	A2808 PACKED	1/2"	12.7mm



8

PCL Male Screw Tailpieces (Sold Loose)

3/8" thread size with BSP taper. Sold loose.

Stock No.	Part No.	Bore	For Hose
27295	A6905 BULK	5/16"	7.9mm
25819	A2951 BULK	3/8"	9.5mm
25821	A2808 BULK	1/2"	12.7mm



9

PCL Male Screw Tailpieces (Display Packed)


1/2" thread size with BSP taper. Display packed three tailpieces per card.

Order number of cards required (3 per card)

Stock No.	Part No.	For Hose
25864	A2954 PACKED	12.7mm

UNIONS & HOSE CONNECTORS

REDUCERS / SOCKETS / REPAIRERS / TWIN-COUPLING Y PIECE



1
PCL Male Screw Tailpiece (Sold Loose)

1/2" thread size with BSP taper. Sold loose.

Stock No.	Part No.	For Hose
25822	A2954 BULK	12.7mm




2
PCL Reducing Unions (Display Packed)

BSP parallel.

Order number of cards required.

Stock No.	Part No.	Size	Type	Pack Type
25866	A6892 PACKED	3/8 x 1/4"	F x F	Display Packed 1 Union
25867	A6893 PACKED	1/2 x 1/4"	F x F	Display Packed 1 Union
25868	A6899 PACKED	3/8 x 1/4"	M x M	Display Packed 3 Unions
25869	A6900 PACKED	1/2 x 1/4"	M x M	Display Packed 3 Unions



3
PCL Reducing Unions (Sold Loose)

BSP parallel. Sold loose.

Stock No.	Part No.	Size	Type
25824	A6892 BULK	3/8 x 1/4"	F x F
25826	A6899 BULK	3/8 x 1/4"	M x M
25825	A6893 BULK	1/2 x 1/4"	F x F
25827	A6900 BULK	1/2 x 1/4"	M x M



4
Double Union, 1/4" BSP (Pack of 5)

This pack of five 1/4" BSP airflow hose couplings is suitable for use with wrenches, sanders and grinders. Made of steel and nickel plated for durability.

Contents:

1 x Double Union, 1/4" BSP (Pack of 5)

Stock No.	Part No.
29879	EAC5



5
PCL Parallel Socket (Display Packed)

1/4" BSP. Display packed three sockets per card.

Order number of cards required (3 per card)

Stock No.	Part No.
25865	A6889 PACKED



6
PCL Parallel Socket (Sold Loose)

1/4" BSP. Sold loose.

Stock No.	Part No.
25823	A6889 BULK



7
Y piece for PCL Twin Standard Coupling

Supplied with no additional fittings. Sold loose.

Stock No.	Part No.
44256	SPR4279



8
PCL Double Ended Hose Connector/ Repairers (Display Packed)

Order number of cards required.

Stock No.	Part No.	Size	For Hose	Pack Type
25853	A2986 PACKED	1/2"	12.7mm	Display Packed 3 Connectors
25852	A2985 PACKED	3/8"	9.5mm	Display Packed 3 Connectors
25847	A2984 PACKED	5/16"	7.9mm	Display Packed 5 Connectors




9
PCL Double Ended Hose Connectors/ Repairers (Sold Loose)

Sold loose.

Stock No.	Part No.	Size	For Hose
25811	A2986 BULK	1/2"	12.7mm
25810	A2985 BULK	3/8"	9.5mm
25805	A2984 BULK	5/16"	7.9mm

EURO & TWIN STANDARD COUPLINGS

EURO COUPLINGS / NUT ADAPTORS / HOSE TAILPIECES



1

PCL Twin Standard Coupling (Display Packed)

Supplied with two male 'airflow ' couplings and one 'Vertex' tailpiece. Display packed.

Stock No.	Part No.
25855	A6103 PACKED



2

PCL Twin Standard Coupling (Sold Loose)

Supplied with two male 'airflow ' couplings and one 'Vertex' tailpiece. Sold loose.

Stock No.	Part No.
25813	A6103 BULK



3

PCL Euro Couplings

For heavy duty high flow applications

BSP parallel

Tested to over 1 million cycles

Connects to most popular and European adaptor profiles (Cejn, Rectus etc.)

Zinc passivated to significantly improve corrosion resistance

Hard wearing steel construction, Sold loose.

Stock No.	Part No.	Size	Type
54407	AC71CF BULK	1/4"	Female
54404	AC71CM BULK	1/4"	Male
54408	AC71EF BULK	3/8"	Female
54409	AC71JF BULK	1/2"	Female
54406	AC71JM BULK	1/2"	Male



4

PCL Euro Coupling Nut Adaptors

For heavy duty high flow applications

Tested to over 1 million cycles

Connects to most popular and European adaptor profiles (Cejn, Rectus etc.)

Zinc passivated to significantly improve corrosion resistance

Hard wearing steel construction, Sold loose.

Stock No.	Part No.	Size	Type
54414	A7101 BULK	1/8"	M 1/8" BSP
54419	A7106 BULK	1/4"	F 1/4" BSP
54415	A7102 BULK	1/4"	M 1/4" BSP
54420	A7107 BULK	3/8"	F 3/8" BSP
54416	A7103 BULK	3/8"	M 3/8" BSP
54417	A7104 BULK	1/2"	M 1/2" BSP



5

PCL Euro Coupling Hose Tailpieces

For heavy duty high flow applications

Tested to over 1million cycles

Connects to most popular and European adaptor profiles (Cejn, Rectus etc.)

Zinc passivated to significantly improve corrosion resistance

Hard wearing steel construction, Sold loose.

Stock No.	Part No.	Bore	For Hose
54410	AC7106 BULK	6mm	6mm
54411	AC7108 BULK	8mm	8mm
54413	AC7113 BULK	13mm	13mm



6

PCL Euro Adaptor Hose Tailpieces

For heavy duty high flow applications

Tested to over 1 million cycles

Connects to most popular and European adaptor profiles (Cejn, Rectus etc.)

Zinc passivated to significantly improve corrosion resistance

Hard wearing steel construction

Sold loose.

Stock No.	Part No.	Bore	For Hose
54423	A7110 BULK	6mm	6mm
54424	A7111 BULK	8mm	8mm
54425	A7112 BULK	10mm	10mm
54426	A7113 BULK	13mm	13mm